



Haringey

Sexual and Reproductive Health Profile

The Sexual and Reproductive Health Profiles have been developed by Public Health England to support local authorities and public health leads monitor the sexual and reproductive health of their population and the performance of local public health related systems.

The profiles provide a snapshot of sexual and reproductive health across a range of topics including teenage pregnancy, abortions, contraception, HIV and sexually transmitted infections. Wider influences on sexual health such as alcohol use, and other topics relating to teenage pregnancy such as education and deprivation level, are also included.

This output report provides selected data presentations showing how your local authority compares to the England value and other local authorities in your region.

Please refer to the online tool for accompanying advice and further presentations including interactive maps and other options for grouping and comparing your local authority.

Contents

Spine Charts

Key Indicators	Page 2
HIV & STI	Page 3
Reproductive Health	Page 4
Teenage Pregnancy	Page 4
Wider Determinants of Health	Page 4

Trends

Key Indicators	Page 5
HIV & STI	Page 7
Reproductive Health	Page 10
Teenage Pregnancy	Page 11
Wider Determinants of Health	Page 12

Tartan Rugs

Key Indicators	Page 13
HIV & STI	Page 14
Reproductive Health	Page 16
Teenage Pregnancy	Page 16
Wider Determinants of Health	Page 17

Bar Charts

Key Indicators	Page 18
HIV & STI	Page 20
Reproductive Health	Page 23
Teenage Pregnancy	Page 24
Wider Determinants of Health	Page 25

Definitions

Page 26



© Crown Copyright and database rights 2015, Ordnance Survey 100016969
OpenStreetMap contributors ODbL

<http://fingertips.phe.org.uk/profile/sexualhealth>

Produced by Public Health England.


For enquiries please contact profilefeedback@phe.gov.uk

Spine Charts

Key

Significance compared to threshold(s) / England average:

- Significantly worse
- Significantly lower
- Not significantly different
- Significantly higher
- Significantly better
- Significance not tested



Key Indicators

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Syphilis diagnosis rate / 100,000	2014	69	26.2	7.8	132.1		0.7
Gonorrhoea diagnosis rate / 100,000	2014	735	279.1	63.3	633.9		8.7
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	700	2175	2012	945		4270
< 1900 1900 to 2300 ≥ 2300							
Chlamydia proportion aged 15-24 screened	2014	7,518	23.4	24.3	10.9		48.7
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	3,665	1932	829	3190		383
HIV testing coverage, total (%)	2014	13,739	72.1	68.9	20.8		86.1
HIV late diagnosis (%) (PHOF indicator 3.04)	2012 - 14	126	43.2	42.2	70.0		0.0
< 25 25 to 50 ≥ 50							
New HIV diagnosis rate / 100,000 aged 15+	2014	112	51.6	12.3	85.4		0.0
HIV diagnosed prevalence rate / 1,000 aged 15-59	2014	1,300	7.12	2.22	0.25		15.08
< 1 1 to 2 ≥ 2							
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)	2013/14	905	76.4	86.7	51.1		96.6
< previous years England average ≥ previous years England average							
Abortions under 10 weeks (%)	2014	1,161	81.3	80.4	62.0		88.5
Under 25s repeat abortions (%)	2014	160	29.0	27.0	37.1		14.3
Total prescribed LARC excluding injections rate / 1,000	2014	2,803	42.7	50.2	13.3		85.7
Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	92	20.9	24.3	43.9		9.2
Under 18s conceptions leading to abortion (%)	2013	59	64.1	51.1	35.2		83.3
Sexual offences rate / 1,000 (PHOF indicator 1.12iii)	2014/15	455	1.73	1.40	0.76		3.48

HIV & STI

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Syphilis diagnosis rate / 100,000	2014	69	26.2	7.8	132.1		0.7
Gonorrhoea diagnosis rate / 100,000	2014	735	279.1	63.3	633.9		8.7
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	700	2175	2012	945		4270
< 1900 1900 to 2300 ≥ 2300							
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)	2014	268	1642	1355	599		3016
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)	2014	430	2711	2664	1114		5539
Chlamydia proportion aged 15-24 screened	2014	7,518	23.4	24.3	10.9		48.7
Chlamydia diagnostic rate / 100,000	2014	1,572	597	375	162		1224
Chlamydia diagnostic rate / 100,000 aged 25+	2014	867	478	173	67		1003
Genital warts diagnosis rate / 100,000	2014	571	216.8	128.4	283.2		75.5
Genital herpes diagnosis rate / 100,000	2014	372	141.2	57.8	187.7		13.9
New STI diagnosis rate / 100,000	2014	4,389	1666	797	392		2921
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	3,665	1932	829	3190		383
STI testing rate (exc Chlamydia aged < 25) / 100,000	2014	71,111	37484	15366	7922		58803
STI testing positivity (exc Chlamydia aged <25) %	2014	3,665	5.2	5.4	3.4		13.5
HIV testing uptake, total (%)	2014	16,062	85.0	77.5	22.0		94.2
HIV testing uptake, MSM (%)	2014	2,394	95.1	94.5	81.6		99.0
HIV testing uptake, women (%)	2014	8,095	80.1	71.5	15.5		92.2
HIV testing uptake, men (%)	2014	7,967	90.6	84.8	48.3		96.4
HIV testing coverage, total (%)	2014	13,739	72.1	68.9	20.8		86.1
HIV testing coverage, MSM (%)	2014	1,722	88.3	87.2	65.1		94.6
HIV testing coverage, women (%)	2014	6,965	64.9	61.9	15.1		86.3
HIV testing coverage, men (%)	2014	6,774	81.3	78.0	41.1		87.1
HIV late diagnosis (%) (PHOF indicator 3.04)	2012 - 14	126	43.2	42.2	70.0		0.0
< 25 25 to 50 ≥ 50							
New HIV diagnosis rate / 100,000 aged 15+	2014	112	51.6	12.3	85.4		0.0
HIV diagnosed prevalence rate / 1,000 aged 15-59	2014	1,300	7.12	2.22	0.25		15.08
< 1 1 to 2 ≥ 2							
Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)	2014	72	97.3	85.4	17.1		100
< 50 50 to 90 ≥ 90							
Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only	2013/14			98.9			
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)	2013/14	905	76.4	86.7	51.1		96.6
< previous years England average ≥ previous years England average							

Haringey

Reproductive Health

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Abortions under 10 weeks (%)	2014	1,161	81.3	80.4	62.0		88.5
Under 25s repeat abortions (%)	2014	160	29.0	27.0	37.1		14.3
Total abortion rate / 1000	2014	1,458	22.3	16.5	31.2		9.5
Total prescribed LARC excluding injections rate / 1,000	2014	2,803	42.7	50.2	13.3		85.7
SRH Services prescribed LARC excluding injections rate / 1,000	2014	1,814	27.6	17.8	3.4		41.6
GP prescribed LARC excluding injections rate / 1,000	2014	989	15.1	32.3	0.3		65.0
GP prescribed LARC rate / 1,000	2014	1,381	21.0	55.2	7.7		100.6
Pelvic inflammatory disease (PID) admissions rate / 100,000	2014/15	120	182.8	236.4	589.2		85.9
Ectopic pregnancy admissions rate / 100,000	2014/15	82	124.9	89.6	188.1		42.0
Cervical cancer registrations rate / 100,000	2011 - 13	47	13.3	9.6	16.6		4.6

Teenage Pregnancy

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	92	20.9	24.3	43.9		9.2
Under 16s conception rate / 1,000 (PHOF indicator 2.04)	2013	16	3.6	4.8	10.9		1.4
Under 18s conceptions leading to abortion (%)	2013	59	64.1	51.1	35.2		83.3
Under 18s abortions rate / 1,000	2014	58	13.2	11.1	4.2		22.8
Under 18s births rate / 1,000	2013	27	6.1	7.8	16.8		1.8

Wider Determinants of Health


	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Under 18s alcohol-specific hospital admissions rate / 100,000	2011/12 - 13/14	45	26.3	40.1	100.0		13.7
Percentage people living in 20% most deprived areas in England	2014	111,128	41.5	20.2	60.5		0.0
Under 16s in poverty (%) (PHOF indicator 1.01ii)	2013	12,870	24.4	18.6	34.4		6.1
GCSE achieved (5A*-C inc. Eng & Maths) (%)	2013/14	1,242	59.1	56.8	35.4		74.4
16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)	2014	300 \$	3.5 \$	4.7	9.0		1.5
Pupil absence (%) (PHOF indicator 1.03)	2013/14	481,776	4.53	4.51	5.64		3.66
First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)	2014	108	450	409	809		133

Note: \$ - Data quality note


Trends

Key Indicators


Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)




Chlamydia proportion aged 15-24 screened




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




HIV testing coverage, total (%)




HIV late diagnosis (%) (PHOF indicator 3.04)




New HIV diagnosis rate / 100,000 aged 15+



HIV diagnosed prevalence rate / 1,000 aged 15-59




Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ○ Significantly higher ○ Significance not tested

Key Indicators continued


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




Total prescribed LARC excluding injections rate / 1,000




Under 18s conception rate / 1,000 (PHOF indicator 2.04)



Under 18s conceptions leading to abortion (%)




Sexual offences rate / 1,000 (PHOF indicator 1.12iii)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ● Significantly higher ○ Significance not tested

HIV & STI


Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)




Chlamydia proportion aged 15-24 screened




Chlamydia diagnostic rate / 100,000




Chlamydia diagnostic rate / 100,000 aged 25+



Genital warts diagnosis rate / 100,000



Genital herpes diagnosis rate / 100,000




Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ○ Significantly higher ○ Significance not tested


Haringey

HIV & STI continued


New STI diagnosis rate / 100,000




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




STI testing rate (exc Chlamydia aged < 25) / 100,000




STI testing positivity (exc Chlamydia aged <25) %




HIV testing uptake, total (%)




HIV testing uptake, MSM (%)




HIV testing uptake, women (%)




HIV testing uptake, men (%)



HIV testing coverage, total (%)




HIV testing coverage, MSM (%)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ● Significantly higher ● Significance not tested

HIV & STI continued


HIV testing coverage, women (%)




HIV testing coverage, men (%)




HIV late diagnosis (%) (PHOF indicator 3.04)




New HIV diagnosis rate / 100,000 aged 15+




HIV diagnosed prevalence rate / 1,000 aged 15-59




Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)



Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only



Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ● Significantly higher ○ Significance not tested


Haringey

Reproductive Health


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




Total abortion rate / 1000




Total prescribed LARC excluding injections rate / 1,000




SRH Services prescribed LARC excluding injections rate / 1,000




GP prescribed LARC excluding injections rate / 1,000




GP prescribed LARC rate / 1,000




Pelvic inflammatory disease (PID) admissions rate / 100,000



Ectopic pregnancy admissions rate / 100,000




Cervical cancer registrations rate / 100,000




Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ● Significantly higher ○ Significance not tested

Teenage Pregnancy


Under 18s conception rate / 1,000 (PHOF indicator 2.04)




Under 16s conception rate / 1,000 (PHOF indicator 2.04)




Under 18s conceptions leading to abortion (%)



Under 18s abortions rate / 1,000




Under 18s births rate / 1,000




Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ● Significantly higher ○ Significance not tested

Wider Determinants of Health


Under 18s alcohol-specific hospital admissions rate / 100,000




Percentage people living in 20% most deprived areas in England




Under 16s in poverty (%) (PHOF indicator 1.01ii)




GCSE achieved (5A*-C inc. Eng & Maths) (%)




16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)



Pupil absence (%) (PHOF indicator 1.03)



First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)



Key ● England ● Significantly worse ● Not significantly different ● Significantly better
 ● Significantly lower ● Significantly higher ○ Significance not tested

Tartan Rugs

Key Indicators

	Period	England	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Che	Kingston UT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster	
Syphilis diagnosis rate / 100,000	2014	7.8	4.1	9.5	2.5	17.0	7.2	49.2	104.6	10.5	12.8	6.6	18.9	42.7	48.7	26.2	5.3	5.0	8.4	16.4	44.5	51.4	10.2	132.1	24.5	9.3	17.9	6.9	6.8	97.8	4.1	53.1	18.4	31.9	72.3	
Gonorrhoea diagnosis rate / 100,000	2014	63.3	78.7	91.8	44.4	151.6	57.6	306.0	470.7	152.1	117.4	117.6	119.3	407.2	289.9	279.1	57.1	48.7	68.3	91.8	359.8	262.9	84.5	633.9	162.1	124.0	150.8	76.7	77.3	425.2	59.2	363.9	168.2	273.7	360.2	
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	2012	2174	1376	1287	2063	1584	2576	- *	2739	1496	1705	2520	4270	2473	2175	1080	1374	1369	1989	1948	2572	1749	4225	3504	1938	1853	1319	- *	3241	1574	1877	2170	3635	1730	
			< 1900	1900 to 2300	≥ 2300																															
Chlamydia proportion aged 15-24 screened	2014	24.3	30.6	17.6	15.0	28.1	22.4	44.1	37.0	28.0	18.3	18.1	31.3	48.7	31.0	23.4	16.5	22.8	26.0	25.6	28.6	34.8	24.8	43.9	34.6	25.3	24.2	22.3	27.0	37.8	23.6	27.2	23.2	48.2	24.7	
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	829	1099	948	668	1634	695	2052	3223	1321	1190	1039	1172	2834	2440	1932	811	791	982	927	2298	2047	1059	3190	1212	1220	1350	800	863	2465	867	2239	1519	2159	2429	
HIV testing coverage, total (%)	2014	68.9	76.9	75.2	67.5	80.5	72.9	72.6	75.5	81.4	80.8	69.3	68.9	69.1	77.2	72.1	84.3	75.2	84.9	71.6	69.6	77.2	71.7	77.5	74.5	79.0	73.6	77.8	74.3	74.2	77.6	75.4	78.6	77.7	77.4	
HIV late diagnosis (%) (PHOF indicator 3.04)	2012 - 14	42.2	48.8	40.6	55.4	37.9	36.8	29.3	35.3	58.8	33.8	46.2	48.0	35.8	28.4	43.2	52.5	41.7	50.5	37.2	22.5	34.6	30.4	29.9	40.7	38.5	43.5	49.0	34.7	37.8	54.5	28.6	27.0	33.7	25.1	
			< 25	25 to 50	≥ 50																															
New HIV diagnosis rate / 100,000 aged 15+	2014	12.3	27.2	18.0	13.4	25.2	14.2	43.7	- *	18.1	18.7	15.7	41.8	46.4	47.7	51.6	13.1	6.9	16.2	16.9	36.2	33.3	7.2	85.4	42.7	22.5	50.8	13.9	7.1	76.2	6.2	54.9	35.7	32.7	57.0*	
HIV diagnosed prevalence rate / 1,000 aged 15-59	2014	2.22	6.09	3.05	2.61	4.50	2.65	8.36	12.78	5.18	3.38	4.19	6.20	8.08	8.51	7.12	2.35	1.91	2.63	3.64	8.44	9.23	2.13	15.08	8.36	4.13	6.87	2.92	2.43	13.02	2.41	6.55	5.26	5.29	8.92	
			< 1	1 to 2	≥ 2																															
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)	2013/14	86.7	79.2	69.5	76.6	81.1	86.8	77.0	85.4	76.4	77.0	68.3	77.6	68.2	73.3	76.4	83.2	86.2	86.5	86.2	87.1	78.9	81.6	80.9	82.9	87.6	92.3	69.2	81.8	85.7	90.4	75.6	86.8	79.1	77.9	
			< previous years England average	≥ previous years England average																																
Abortions under 10 weeks (%)	2014	80.4	81.8	84.1	82.6	83.9	85.3	82.4	94.4	82.9	86.3	82.7	85.5	83.7	86.4	81.3	85.8	84.6	82.6	85.5	82.3	82.4	86.2	83.3	83.4	85.8	82.0	85.4	87.5	83.8	88.4	72.8	82.9	85.6	85.6	
Under 25s repeat abortions (%)	2014	27.0	33.0	28.2	30.6	33.4	34.8	26.0	37.5	36.5	31.4	35.8	34.0	37.1	31.8	29.0	36.9	31.5	30.6	36.7	32.6	22.8	28.7	30.7	32.4	33.2	29.1	35.5	36.1	33.5	28.3	26.2	36.9	30.5	28.8	
Total prescribed LARC excluding injections rate / 1,000	2014	50.2	42.2	23.0	48.2	29.8	42.9	29.1	23.8	38.4	32.4	40.7	46.8	40.6	29.9	42.7	27.6	29.2	30.8	36.0	35.2	18.0	35.2	40.5	47.2	31.4	39.9	25.2	40.6	43.7	39.2	28.9	29.1	37.0	20.0	
Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	24.3	40.1	10.2	23.3	18.2	19.5	17.2	- *	32.5	15.4	23.0	24.5	24.0*	21.3	20.9	14.3	26.2	23.0	28.3	20.7	19.0	15.8	24.7	33.1	22.1	21.3	16.9	11.7	30.6	17.8	18.7	21.8	21.4	9.6	
Under 18s conceptions leading to abortion (%)	2013	51.1	59.7	76.2	63.9	67.3	63.9	76.6	- *	61.6	70.1	49.6	64.8	61.9*	66.0	64.1	62.9	63.9	62.1	71.2	73.7	78.8	66.7	72.4	57.9	64.2	51.6	65.6	53.1	70.2	70.8	71.6	58.8	65.3	83.3	

Comparison with respect to England value / goal



Note: * - Disclosure control applied

Haringey

Key Indicators continued

Period	England	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Che	Kingston UT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster	
Sexual offences rate / 1,000 (PHOF indicator 1.12iii)	2014/15	1.40	1.92	1.03	1.09	1.34	1.12	1.84	6.84	1.72	1.30	1.29	1.68	1.87	1.70	1.73	1.04	1.28	1.26	1.71	1.77	1.99	1.12	2.09	1.90	0.88	1.89	1.27	0.89	1.95	1.22	1.78	1.46	1.26	3.48

HIV & STI

Syphilis diagnosis rate / 100,000	2014	7.8	4.1	9.5	2.5	17.0	7.2	49.2	104.6	10.5	12.8	6.6	18.9	42.7	48.7	26.2	5.3	5.0	8.4	16.4	44.5	51.4	10.2	132.1	24.5	9.3	17.9	6.9	6.8	97.8	4.1	53.1	18.4	31.9	72.3
Gonorrhoea diagnosis rate / 100,000	2014	63.3	78.7	91.8	44.4	151.6	57.6	306.0	470.7	152.1	117.4	117.6	119.3	407.2	289.9	279.1	57.1	48.7	68.3	91.8	359.8	262.9	84.5	633.9	162.1	124.0	150.8	76.7	77.3	425.2	59.2	363.9	168.2	273.7	360.2
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	2012	2174	1376	1287	2063	1584	2576	- *	2739	1496	1705	2520	4270	2473	2175	1080	1374	1369	1989	1948	2572	1749	4225	3504	1938	1853	1319	- *	3241	1574	1877	2170	3635	1730
		< 1900	1900 to 2300	≥ 2300																															
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)	2014	1355	1374	830	1080	1476	995	1689	- *	1955	892	1005	1883	2884	1899	1642	738	843	855	1597	1515	1834	1103	3016	2639	1513	1370	945	- *	2411	1078	1418	1555	2914	1284
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)	2014	2664	3010	1940	1498	2698	2157	3109	- *	3520	2147	2425	3128	5539	2937	2711	1452	1917	1934	2397	2311	3320	2350	4645	4311	2369	2370	1709	- *	3427	2066	2316	2812	4170	2218
Chlamydia proportion aged 15-24 screened	2014	24.3	30.6	17.6	15.0	28.1	22.4	44.1	37.0	28.0	18.3	18.1	31.3	48.7	31.0	23.4	16.5	22.8	26.0	25.6	28.6	34.8	24.8	43.9	34.6	25.3	24.2	22.3	27.0	37.8	23.6	27.2	23.2	48.2	24.7
Chlamydia diagnostic rate / 100,000	2014	375	407	319	249	487	262	779	758	527	338	375	575	1112	682	597	233	251	299	405	717	594	376	1224	780	361	522	258	274	956	262	771	511	807	558
Chlamydia diagnostic rate / 100,000 aged 25+	2014	173	191	227	119	328	126	561	- *	272	237	235	357	849	546	478	148	107	154	241	620	450	193	1003	499	226	375	139	- *	730	118	739	353	596	491
Genital warts diagnosis rate / 100,000	2014	128.4	132.7	124.4	114.1	140.6	107.6	222.4	300.7	127.2	143.1	123.9	123.1	267.7	283.2	216.8	94.9	137.1	110.5	136.4	278.2	178.0	181.1	209.1	81.1	140.7	140.2	110.0	135.3	203.0	132.2	230.9	168.9	258.0	201.0
Genital herpes diagnosis rate / 100,000	2014	57.8	81.8	63.9	47.7	96.8	46.9	134.1	209.2	61.7	75.6	64.6	58.0	187.7	167.3	141.2	45.6	71.1	68.3	56.4	163.7	135.6	79.7	107.9	40.2	78.7	76.0	53.4	62.2	90.8	62.8	118.4	103.1	130.8	122.1
New STI diagnosis rate / 100,000	2014	797	1003	799	601	1412	620	1889	2694	1231	1002	910	1152	2618	2108	1666	676	685	863	889	2031	1734	979	2921	1302	1048	1253	701	736	2301	757	1961	1334	1981	1992
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	829	1099	948	668	1634	695	2052	3223	1321	1190	1039	1172	2834	2440	1932	811	791	982	927	2298	2047	1059	3190	1212	1220	1350	800	863	2465	867	2239	1519	2159	2429
STI testing rate (exc Chlamydia aged < 25) / 100,000	2014	15366	19453	21000	9710	29465	12575	44028	59380	22219	23019	21970	17343	58803	44682	37484	17087	13272	17058	18594	49643	36896	22547	45069	20916	23545	24145	14677	18851	41231	15264	40564	25086	41363	39144
STI testing positivity (exc Chlamydia aged <25) %	2014	5.4	5.6	4.5	6.9	5.5	5.5	4.7	5.4	5.9	5.2	4.7	6.8	4.8	5.5	5.2	4.7	6.0	5.8	5.0	4.6	5.5	4.7	7.1	5.8	5.2	5.6	5.4	4.6	6.0	5.7	5.5	6.1	5.2	6.2
HIV testing uptake, total (%)	2014	77.5	84.9	86.3	78.8	86.5	78.4	88.4	85.3	87.1	88.6	80.6	81.1	74.4	84.1	85.0	88.9	81.9	89.1	80.5	85.4	83.1	81.4	82.8	80.1	88.0	85.8	86.4	82.7	76.7	83.3	85.7	84.8	87.5	84.3

Comparison with respect to England value / goal



Note: * - Disclosure control applied

HIV & STI continued

	Period	England	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Chel	Kingston uT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster
HIV testing uptake, MSM (%)	2014	94.5	94.0	96.4	95.1	95.6	94.5	96.3	94.6	95.1	95.7	96.3	92.9	95.0	95.7	95.1	97.0	90.9	97.2	96.1	95.6	94.9	96.2	94.5	93.6	96.2	94.5	93.5	95.3	93.4	96.7	95.6	94.0	95.6	95.3
HIV testing uptake, women (%)	2014	71.5	83.1	82.2	76.2	83.6	74.9	83.7	74.9	86.3	87.0	76.0	75.8	64.6	80.3	80.1	86.7	80.0	86.5	75.0	79.3	78.9	76.2	74.2	71.6	86.0	81.6	84.2	79.0	67.0	81.7	77.8	81.3	84.3	78.3
HIV testing uptake, men (%)	2014	84.8	87.1	91.2	81.5	89.8	81.9	93.0	91.3	88.1	90.4	86.8	85.4	88.1	88.4	90.6	91.4	84.0	92.2	85.5	92.2	87.6	88.7	88.9	86.3	90.2	90.1	88.6	86.7	86.9	85.3	92.1	88.9	90.9	89.5
HIV testing coverage, total (%)	2014	68.9	76.9	75.2	67.5	80.5	72.9	72.6	75.5	81.4	80.8	69.3	68.9	69.1	77.2	72.1	84.3	75.2	84.9	71.6	69.6	77.2	71.7	77.5	74.5	79.0	73.6	77.8	74.3	74.2	77.6	75.4	78.6	77.7	77.4
HIV testing coverage, MSM (%)	2014	87.2	85.8	91.0	84.1	90.6	86.1	88.1	84.6	87.2	88.1	89.9	83.6	88.4	88.9	88.3	91.2	84.0	90.9	88.1	86.7	87.3	91.1	88.4	87.8	89.1	89.8	87.0	88.4	87.9	88.8	88.1	86.4	89.4	88.6
HIV testing coverage, women (%)	2014	61.9	74.7	69.2	64.2	77.1	69.3	64.2	66.9	79.1	78.5	63.7	64.1	59.6	72.8	64.9	82.0	72.6	83.0	64.3	60.2	73.4	64.9	69.9	66.7	75.5	69.3	74.8	69.6	66.3	75.6	68.0	75.1	72.8	71.6
HIV testing coverage, men (%)	2014	78.0	79.6	83.4	71.1	84.7	76.6	82.7	81.0	84.2	83.3	77.2	73.1	83.5	82.5	81.3	87.1	78.0	87.0	79.0	82.9	81.4	82.1	83.6	80.9	83.5	78.2	80.9	79.6	83.1	80.1	82.2	82.7	83.7	82.9
HIV late diagnosis (%) (PHOF indicator 3.04) <small>< 25 25 to 50 ≥ 50</small>	2012 - 14	42.2	48.8	40.6	55.4	37.9	36.8	29.3	35.3	58.8	33.8	46.2	48.0	35.8	28.4	43.2	52.5	41.7	50.5	37.2	22.5	34.6	30.4	29.9	40.7	38.5	43.5	49.0	34.7	37.8	54.5	28.6	27.0	33.7	25.1
New HIV diagnosis rate / 100,000 aged 15+	2014	12.3	27.2	18.0	13.4	25.2	14.2	43.7	- *	18.1	18.7	15.7	41.8	46.4	47.7	51.6	13.1	6.9	16.2	16.9	36.2	33.3	7.2	85.4	42.7	22.5	50.8	13.9	7.1	76.2	6.2	54.9	35.7	32.7	57.0 *
HIV diagnosed prevalence rate / 1,000 aged 15-59 <small>< 1 1 to 2 ≥ 2</small>	2014	2.22	6.09	3.05	2.61	4.50	2.65	8.36	12.78	5.18	3.38	4.19	6.20	8.08	8.51	7.12	2.35	1.91	2.63	3.64	8.44	9.23	2.13	15.08	8.36	4.13	6.87	2.92	2.43	13.02	2.41	6.55	5.26	8.92	
Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators) <small>< 50 50 to 90 ≥ 90</small>	2014	85.4	100	98.6		100		97.6		96.0	99.5	97.0	100	93.1	97.0	97.3	98.2	100	98.3	98.0	94.4	100	88.5	97.3	100	100	96.4	99.2		98.6	95.8	97.8	97.6	95.5	89.4
Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only	2013/14	98.9																																	
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii) <small>< previous years England average ≥ previous years England average</small>	2013/14	86.7	79.2	69.5	76.6	81.1	86.8	77.0	85.4	76.4	77.0	68.3	77.6	68.2	73.3	76.4	83.2	86.2	86.5	86.2	87.1	78.9	81.6	80.9	82.9	87.6	92.3	69.2	81.8	85.7	90.4	75.6	86.8	79.1	77.9

Comparison with respect to England value / goal

Lower Similar Higher Better Similar Worse Not compared

Note: * - Disclosure control applied

Haringey

Reproductive Health

Period	England	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Chel	Kingston uT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster	
Abortions under 10 weeks (%)	2014	80.4	81.8	84.1	82.6	83.9	85.3	82.4	94.4	82.9	86.3	82.7	85.5	83.7	86.4	81.3	85.8	84.6	82.6	85.5	82.3	82.4	86.2	83.3	83.4	85.8	82.0	85.4	87.5	83.8	88.4	72.8	82.9	85.6	85.6
Under 25s repeat abortions (%)	2014	27.0	33.0	28.2	30.6	33.4	34.8	26.0	37.5	36.5	31.4	35.8	34.0	37.1	31.8	29.0	36.9	31.5	30.6	36.7	32.6	22.8	28.7	30.7	32.4	33.2	29.1	35.5	36.1	33.5	28.3	26.2	36.9	30.5	28.8
Total abortion rate / 1000	2014	16.5	31.2	17.6	20.4	24.9	18.1	14.7	16.3	26.1	23.8	23.5	25.4	21.4	20.9	22.3	20.6	22.5	23.6	24.8	19.0	18.5	14.8	24.1	25.0	19.1	26.7	24.5	13.8	24.7	18.0	19.1	26.1	16.5	17.4
Total prescribed LARC excluding injections rate / 1,000	2014	50.2	42.2	23.0	48.2	29.8	42.9	29.1	23.8	38.4	32.4	40.7	46.8	40.6	29.9	42.7	27.6	29.2	30.8	36.0	35.2	18.0	35.2	40.5	47.2	31.4	39.9	25.2	40.6	43.7	39.2	28.9	29.1	37.0	20.0
SRH Services prescribed LARC excluding injections rate / 1,000	2014	17.8	22.6	9.9	11.2	19.8	11.2	18.5	23.8	10.8	21.8	23.6	26.9	27.0	17.0	27.6	16.0	15.2	21.6	19.6	23.4	12.9	5.2	21.0	35.8	18.6	21.2	13.2	10.6	30.6	18.0	16.0	20.9	17.5	11.6
GP prescribed LARC excluding injections rate / 1,000	2014	32.3	19.6	13.1	36.9	10.0	31.7	10.6	0.0	27.5	10.6	17.1	19.9	13.6	12.9	15.1	11.6	13.9	9.2	16.4	11.8	5.2	30.0	19.4	11.4	12.8	18.8	12.0	30.1	13.1	21.2	12.9	8.2	19.5	8.4
GP prescribed LARC rate / 1,000	2014	55.2	43.9	18.5	54.8	16.6	44.8	14.2	- *	43.4	17.2	27.0	32.5	19.8 *	16.2	21.0	16.7	44.8	19.7	22.7	18.3	7.7	40.4	28.1	18.5	20.3	25.4	23.5	39.2	20.8	37.5	19.5	20.0	25.3	11.4
Pelvic inflammatory disease (PID) admissions rate / 100,000	2014/15	236.4	280.2	157.7	315.9	197.2	323.6	93.4	- *	214.1	181.6	195.2	224.9	137.0 *	166.8	182.8	221.4	288.7	179.9	153.9	183.7	128.6	117.5	151.6	330.3	188.0	194.5	192.4	183.4	186.5	172.6	142.1	223.3	153.4	114.4
Ectopic pregnancy admissions rate / 100,000	2014/15	89.6	184.6	103.9	112.2	97.9	111.0	80.3	0.0	100.8	121.5	97.6	124.4	83.8	124.6	124.9	73.1	119.2	103.2	135.7	102.2	75.5	91.9	105.7	135.4	117.5	188.1	124.7	71.9	116.6	104.5	93.1	96.4	81.7	75.1
Cervical cancer registrations rate / 100,000	2011 - 13	9.6	6.5	6.5	6.0	6.1	7.6	10.0	- *	9.5	4.6	9.9	7.8	10.6	9.8	13.3	5.3	6.0	7.2	6.9	6.5	- *	11.0	14.4	7.6	6.6	10.9	5.7	9.1	9.2	7.4	10.2	10.0	8.4	7.1

Teenage Pregnancy

Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	24.3	40.1	10.2	23.3	18.2	19.5	17.2	- *	32.5	15.4	23.0	24.5	24.0 *	21.3	20.9	14.3	26.2	23.0	28.3	20.7	19.0	15.8	24.7	33.1	22.1	21.3	16.9	11.7	30.6	17.8	18.7	21.8	21.4	9.6
Under 16s conception rate / 1,000 (PHOF indicator 2.04)	2013	4.8	9.2	1.9	4.5	2.5	5.5	- *	- *	6.3	3.6	4.0	5.6	4.1 *	4.6	3.6	1.4	4.9	4.4	5.3	4.0	4.4	2.6	6.3	7.2	2.7	4.7	4.2	2.0	6.7	4.1	2.6	4.4	3.7	- *
Under 18s conceptions leading to abortion (%)	2013	51.1	59.7	76.2	63.9	67.3	63.9	76.6	- *	61.6	70.1	49.6	64.8	61.9 *	66.0	64.1	62.9	63.9	62.1	71.2	73.7	78.8	66.7	72.4	57.9	64.2	51.6	65.6	53.1	70.2	70.8	71.6	58.8	65.3	83.3
Under 18s abortions rate / 1,000	2014	11.1	19.8	8.6	14.4	9.8	10.0	11.3	- *	17.6	9.7	14.0	14.5	15.3	14.1	13.2	6.7	13.2	13.5	16.8	12.0	- *	10.9	20.7	17.8	10.6	12.1	10.7	7.3	19.0	11.5	11.9	14.4	13.7	- *
Under 18s births rate / 1,000	2013	7.8	8.1	1.8	3.7	4.1	3.4	1.8	- *	7.8	3.5	8.0	5.9	5.7 *	6.3	6.1	2.5	3.3	5.4	5.8	5.4	2.9	3.4	4.2	10.0	4.3	7.3	2.9	2.9	6.9	4.9	4.3	6.3	5.7	2.0

Comparison with respect to England value / goal



Note: * - Disclosure control applied

Wider Determinants of Health

	Period	England	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Chel	Kingston uT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster
Under 18s alcohol-specific hospital admissions rate / 100,000	2011/12 - 13/14	40.1	20.4	23.1	15.9	16.8	25.9	40.9	- *	27.3	33.3	19.2	19.2	18.5	- *	26.3	17.5	20.7	41.9	33.3	35.7	30.9	31.6	23.9	22.2	32.4	16.7	20.8	27.1	13.9	49.3	44.9	38.3	35.7	28.4
Percentage people living in 20% most deprived areas in England	2014	20.2	57.0	8.1	5.6	21.8	8.9	27.1	0.0	22.1	17.6	31.5	24.8	54.6	21.9	41.5	1.4	9.0	3.7	10.8	44.3	23.6	1.1	31.3	35.3	3.1	39.0	7.0	0.8	38.6	5.5	58.8	32.3	6.5	28.6
Under 16s in poverty (%) (PHOF indicator 1.01ii)	2013	18.6	28.4	15.8	18.4	21.0	14.9	27.6	10.3	21.8	19.2	25.5	25.1	27.7	23.8	24.4	14.7	18.4	17.9	19.7	32.4	20.3	11.9	27.6	26.0	15.1	24.6	17.7	8.3	27.6	14.3	34.4	23.3	18.6	29.8
GCSE achieved (5A*-C inc. Eng & Maths) (%)	2013/14	56.8	58.2	67.5	60.3	60.0	65.6	60.5	- x	56.8	59.8	59.7	59.6	58.8	65.6	59.1	62.3	60.2	58.6	66.1	59.9	74.4	70.0	57.0	51.3	64.2	55.4	66.9	63.5	62.4	70.2	59.8	58.6	59.4	68.1
16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)	2014	4.7	5.7	2.5	3.4	2.6	4.3	4.4	0.0	3.3	3.0	3.1	5.0	3.0	2.5	3.5	1.5	4.0	2.4	3.2	5.2	3.6	3.9	2.2	3.5	4.3	4.3	3.3	4.3	2.0	3.2	3.4	3.0	2.9	2.2
Pupil absence (%) (PHOF indicator 1.03)	2013/14	4.51	4.40	4.40	4.01	4.48	4.26	4.71	3.47	4.29	4.26	4.76	4.07	4.22	4.53	4.53	4.19	4.76	4.51	4.32	4.46	4.47	4.03	4.20	4.24	4.25	3.99	4.52	3.97	3.98	4.26	4.37	4.47	4.35	4.37
First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)	2014	409	525	299	300	517	317	425	- x	580	326	472	472	456	529	450	346	235	423	397	642	325	180	707	603	309	527	290	239	648	291	458	399	351	420

Comparison with respect to England value / goal

Lower	Similar	Higher
-------	---------	--------

Better	Similar	Worse
--------	---------	-------


Not compared

Note: * - Disclosure control applied, x - Value Missing, \$ - Data quality note, -


Bar Charts

Key Indicators


Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)




Chlamydia proportion aged 15-24 screened




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




HIV testing coverage, total (%)




HIV late diagnosis (%) (PHOF indicator 3.04)




New HIV diagnosis rate / 100,000 aged 15+



HIV diagnosed prevalence rate / 1,000 aged 15-59




Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)




Key England value and confidence interval ↑ Haringey Other local authority in London

Key Indicators continued


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




Total prescribed LARC excluding injections rate / 1,000




Under 18s conception rate / 1,000 (PHOF indicator 2.04)



Under 18s conceptions leading to abortion (%)



Sexual offences rate / 1,000 (PHOF indicator 1.12iii)




Key England value and confidence interval ↑ Haringey Other local authority in London


Haringey

HIV & STI


Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)




Chlamydia proportion aged 15-24 screened




Chlamydia diagnostic rate / 100,000




Chlamydia diagnostic rate / 100,000 aged 25+



Genital warts diagnosis rate / 100,000




Genital herpes diagnosis rate / 100,000




Key England value and confidence interval ↑ Haringey Other local authority in London

HIV & STI continued


New STI diagnosis rate / 100,000




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




STI testing rate (exc Chlamydia aged < 25) / 100,000




STI testing positivity (exc Chlamydia aged <25) %




HIV testing uptake, total (%)




HIV testing uptake, MSM (%)




HIV testing uptake, women (%)




HIV testing uptake, men (%)



HIV testing coverage, total (%)



HIV testing coverage, MSM (%)




Key England value and confidence interval ↑ Haringey Other local authority in London


Haringey

HIV & STI continued

HIV testing coverage, women (%)




HIV testing coverage, men (%)




HIV late diagnosis (%) (PHOF indicator 3.04)

< 25 25 to 50 ≥ 50




New HIV diagnosis rate / 100,000 aged 15+




HIV diagnosed prevalence rate / 1,000 aged 15-59

< 1 1 to 2 ≥ 2



Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)

< 50 50 to 90 ≥ 90




Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only

No data

Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)


< previous years England average ≥ previous years England average




Key England value and confidence interval ↑ Haringey Other local authority in London

Reproductive Health


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




Total abortion rate / 1000




Total prescribed LARC excluding injections rate / 1,000




SRH Services prescribed LARC excluding injections rate / 1,000




GP prescribed LARC excluding injections rate / 1,000




GP prescribed LARC rate / 1,000




Pelvic inflammatory disease (PID) admissions rate / 100,000



Ectopic pregnancy admissions rate / 100,000



Cervical cancer registrations rate / 100,000




Key England value and confidence interval ↑ Haringey Other local authority in London


Haringey

Teenage Pregnancy


Under 18s conception rate / 1,000 (PHOF indicator 2.04)




Under 16s conception rate / 1,000 (PHOF indicator 2.04)




Under 18s conceptions leading to abortion (%)



Under 18s abortions rate / 1,000




Under 18s births rate / 1,000




Key England value and confidence interval ↑ Haringey Other local authority in London

Wider Determinants of Health


Under 18s alcohol-specific hospital admissions rate / 100,000




Percentage people living in 20% most deprived areas in England




Under 16s in poverty (%) (PHOF indicator 1.01ii)




GCSE achieved (5A*-C inc. Eng & Maths) (%)




16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)



Pupil absence (%) (PHOF indicator 1.03)



First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)



Key England value and confidence interval ↑ Haringey Other local authority in London

Definitions

Key Indicators

Syphilis diagnosis rate / 100,000 - All syphilis diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

Gonorrhoea diagnosis rate / 100,000 - All gonorrhoea diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) - All chlamydia diagnoses in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England, expressed as a rate per 100,000 population.

Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

Chlamydia proportion aged 15-24 screened - All chlamydia tests (asymptomatic screens and symptomatic tests) undertaken in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England. Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total Includes tests which did not have sufficient location information to be attributed to a local authority of residence.

All new STI diagnoses (exc Chlamydia aged <25) / 100,000 - All new STI diagnoses (excluding Chlamydia in under 25 year olds) among people accessing genito-urinary medicine (GUM) services who are resident in England. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

HIV testing coverage, total (%) - The proportion of 'Eligible new GUM Attendees' in whom a HIV test was accepted.

'Eligible new GUM Attendee' is defined as a patient attending a GUM clinic at least once during a calendar year. Patients known to be HIV positive¹, or for whom a HIV test was not appropriate² are excluded.

¹ E1B, E2B, E3A2, E3B, H, H2

² P1C

Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

MSM includes men who reported a homosexual or bisexual orientation. For coverage of HIV testing, MSM is defined based on a patient's entire clinic attendance history (i.e. a man is classified as MSM for all attendance years including and following the earliest year a man identifies as MSM).

HIV late diagnosis (%) (PHOF indicator 3.04) - Percentage of adults (aged 15 years or more) diagnosed with a CD4 cell count less than 350 cells per mm³ among all newly diagnosed adults with CD4 cell count available within 91 days of diagnosis and with known residence-based information.

New HIV diagnosis rate / 100,000 aged 15+ - All new HIV diagnoses among adults (aged 15+ years) in the UK who reside in England, expressed as a rate per 100,000 population. Data exclude adults diagnosed in England residing in Wales, Scotland, Northern Ireland or abroad.

HIV diagnosed prevalence rate / 1,000 aged 15-59 - People aged 15 to 59 years seen at HIV services in the UK who are residents in England, expressed as a rate per 100,000 population. Data exclude adults seen for HIV care in England who are residents in Wales, Scotland, Northern Ireland or abroad.

Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii) - All girls aged 12 to 13 years who have received all three doses of the HPV vaccine within each reporting area (at present PCT responsible population) as a percentage of all girls aged 12 to 13 years within each area.

Abortions under 10 weeks (%) - Percentage of all NHS-funded abortions performed under 10 weeks gestation

Under 25s repeat abortions (%) - Percentage of abortions in women aged under 25 years that involve a women who has had a previous abortion in any year.

Total prescribed LARC excluding injections rate / 1,000 - Crude rate of long acting reversible contraception (LARC) excluding injections prescribed by GP and Sexual and Reproductive Health Services per 1,000 resident female population aged 15-44 years

Under 18s conception rate / 1,000 (PHOF indicator 2.04) - Conceptions in women aged under 18 per 1,000 females aged 15-17

Under 18s conceptions leading to abortion (%) - The percentage of conceptions to those aged under 18 years that led to an abortion

Sexual offences rate / 1,000 (PHOF indicator 1.12iii) - Rate of sexual offences based on police recorded crime data per 1,000 population

HIV & STI

Syphilis diagnosis rate / 100,000 - All syphilis diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

Gonorrhoea diagnosis rate / 100,000 - All gonorrhoea diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) - All chlamydia diagnoses in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England, expressed as a rate per 100,000 population.

Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

Chlamydia proportion aged 15-24 screened - All chlamydia tests (asymptomatic screens and symptomatic tests) undertaken in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England. Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total Includes tests which did not have sufficient location information to be attributed to a local authority of residence.

Chlamydia diagnostic rate / 100,000 - All chlamydia diagnoses among people accessing GUM clinics, primary care and community services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

Chlamydia diagnostic rate / 100,000 aged 25+ - All chlamydia diagnoses among 25+ year olds accessing GUM services, primary care and community services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

Genital warts diagnosis rate / 100,000 - All diagnoses of first episode genital warts among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

Genital herpes diagnosis rate / 100,000 - All diagnoses of first episode genital herpes among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

New STI diagnosis rate / 100,000 - All new STI diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

All new STI diagnoses (exc Chlamydia aged <25) / 100,000 - All new STI diagnoses (excluding Chlamydia in under 25 year olds) among people accessing genito-urinary medicine (GUM) services who are resident in England. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

STI testing rate (exc Chlamydia aged <25) - All tests for syphilis, HIV, *Neisseria gonorrhoeae* and chlamydia (aged over 25) among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

STI testing positivity (exc Chlamydia aged <25) % - All new STI diagnoses (excluding Chlamydia in under 25 year olds) among people accessing GUM services in England who are also residents in England, expressed as a percentage of the number of STI tests performed. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

HIV testing uptake, total (%) - The number of 'Eligible new GUM Episodes' where a HIV test was accepted as a proportion of those where a HIV test was offered. Multiple episodes of HIV test offer and uptake are included per individual within a year.

'Eligible new GUM Episode' is defined as a visit to a GUM clinic including all subsequent GUM attendances in the following six weeks (i.e. eligibility for testing occurs only once every six weeks). Attendances by known HIV positive patients¹, or where a HIV test was not appropriate² are excluded.

¹ E1B, E2B, E3A2, E3B, H, H2

² P1C

Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

MSM includes men who reported a homosexual or bisexual orientation. For uptake of HIV testing, MSM is defined based on a patient's entire clinic attendance history (i.e. a man is classified as MSM for all attendance years including and following the earliest year a man identifies as MSM).

HIV testing coverage, total (%) - The proportion of 'Eligible new GUM Attendees' in whom a HIV test was accepted.

'Eligible new GUM Attendee' is defined as a patient attending a GUM clinic at least once during a calendar year. Patients known to be HIV positive¹, or for whom a HIV test was not appropriate² are excluded.

¹ E1B, E2B, E3A2, E3B, H, H2

² P1C

Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

MSM includes men who reported a homosexual or bisexual orientation. For coverage of HIV testing, MSM is defined based on a patient's entire clinic attendance history (i.e. a man is classified as MSM for all attendance years including and following the earliest year a man identifies as MSM).

HIV late diagnosis (%) (PHOF indicator 3.04) - Percentage of adults (aged 15 years or more) diagnosed with a CD4 cell count less than 350 cells per mm³ among all newly diagnosed adults with CD4 cell count available within 91 days of diagnosis and with known residence-based information.

New HIV diagnosis rate / 100,000 aged 15+ - All new HIV diagnoses among adults (aged 15+ years) in the UK who reside in England, expressed as a rate per 100,000 population. Data exclude adults diagnosed in England residing in Wales, Scotland, Northern Ireland or abroad.

HIV diagnosed prevalence rate / 1,000 aged 15-59 - People aged 15 to 59 years seen at HIV services in the UK who are residents in England, expressed as a rate per 100,000 population. Data exclude adults seen for HIV care in England who are residents in Wales, Scotland, Northern Ireland or abroad.

Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators) - The annual proportion of TB cases who were offered an HIV test (exclusions: TB Cases where HIV status was already known and TB cases diagnosed post mortem).

Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only - The percentage of pregnant women eligible for infectious disease screening who are tested for HIV, leading to a conclusive result

Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii) - All girls aged 12 to 13 years who have received all three doses of the HPV vaccine within each reporting area (at present PCT responsible population) as a percentage of all girls aged 12 to 13 years within each area.

Reproductive Health

Abortions under 10 weeks (%) - Percentage of all NHS-funded abortions performed under 10 weeks gestation

Under 25s repeat abortions (%) - Percentage of abortions in women aged under 25 years that involve a women who has had a previous abortion in any year.

Haringey

Total abortion rate / 1000 - Crude rate of abortions per 1,000 female population aged 15-44 years

Total prescribed LARC excluding injections rate / 1,000 - Crude rate of long acting reversible contraception (LARC) excluding injections prescribed by GP and Sexual and Reproductive Health Services per 1,000 resident female population aged 15-44 years

SRH Services prescribed LARC excluding injections rate / 1,000 - Crude rate of long acting reversible contraception (LARC) excluding injections prescribed by Sexual and Reproductive Health Services per 1,000 resident female population aged 15-44 years

GP prescribed LARC excluding injections rate / 1,000 - Crude rate of GP prescribed long acting reversible contraception excluding injections per 1,000 resident female population aged 15-44 years

GP prescribed LARC rate / 1,000 - Crude rate of GP prescribed long acting reversible contraception per 1,000 resident female population aged 15-44 years

Pelvic inflammatory disease (PID) admissions rate / 100,000 - Crude rate of pelvic inflammatory disease (PID) admissions in women aged 15-44 years per 100,000 population (women aged 15-44 years)

Ectopic pregnancy admissions rate / 100,000 - Crude rate of ectopic pregnancy admissions to hospital in women aged 15-44 years per 100,000 population (women aged 15-44 years)

Cervical cancer registrations rate / 100,000 - Directly age-standardised rate of cervical cancer registrations per 100,000 female all age population

Teenage Pregnancy

Under 18s conception rate / 1,000 (PHOF indicator 2.04) - Conceptions in women aged under 18 per 1,000 females aged 15-17

Under 16s conception rate / 1,000 (PHOF indicator 2.04) - Conceptions in women aged under 16 per 1,000 females aged 13-15

Under 18s conceptions leading to abortion (%) - The percentage of conceptions to those aged under 18 years that led to an abortion

Under 18s abortions rate / 1,000 - Abortions in women aged under 18 per 1,000 females aged 15-17

Under 18s births rate / 1,000 - Births in women aged under 18 per 1,000 females aged 15-17

Wider Determinants of Health

Under 18s alcohol-specific hospital admissions rate / 100,000 - Persons admitted to hospital due to alcohol-specific conditions – under 18 year olds, crude rate per 100,000 population. See LAPE user guide for further details - http://www.lape.org.uk/downloads/Lape_guidance_and_methods.pdf

Percentage people living in 20% most deprived areas in England - % of the relevant population in this area living in the 20% most deprived Lower Super Output Areas in England.

Under 16s in poverty (%) (PHOF indicator 1.01ii) - Percentage of children in low income families (children living in families in receipt of out of work benefits or tax credits where their reported income is less than 60% median income) for under 16s only

GCSE achieved (5A*-C inc. Eng & Maths) (%) - Percentage of pupils achieving 5 or more GCSEs at grades A*-C (including English and Maths) or equivalent, percentage of pupils at end of Key Stage 4 in schools maintained by the Local Authority, at the end of the academic year, persons.

16-18 year olds not in education employment or training (%) (PHOF indicator 1.05) - The estimated number of 16-18 year olds not in education, employment or training divided by the total number of 16-18 year olds known to the local authority whose activity is either not in education, employment or training (NEET), or in education, employment or training (EET). This indicator will use the average proportion of 16-18 year olds NEET between November and January each year.

Pupil absence (%) (PHOF indicator 1.03) - Percentage of half days missed by pupils due to overall absence (including authorised and unauthorised absence).

First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04) - Rates of juveniles receiving their first conviction, caution or youth caution per 100,000 10-17 year old population by area of residence.